Declassified in Part - Sanitized Copy Approved for Release 2014/01/29 : CIA-RDP80T00246A026801750001-1

# INFORMATION REPORT INFORMATION R

### CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 783 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohit 50X1-HUM 50X1-HUM

SECRET

THIS IS UNEVALUATED INFORMATION. SOURCE GRADINGS ARE DEFINITIVE. APPRAISAL OF CONTENT IS TENTATIVE.

50X1-HUM

COUNTRY East Germany REPORT

SUBJECT The Koepenick Radio Plant DATE DIST

DATE DISTR. 2 3 MAY 1962

NO. PAGES 23

**REFERENCES** 

RD

DATE OF INFO. PLACE & DATE ACQ.

50X1-HUM

50X1-HUM

SECRET

Carrie Por reference annulus (reference) annulus (reference)

STATE #X ARMY #X NAVY #X AIR #X NSA #X | DIA X | 50X1-HUM

(Note: Washington distribution Indicated by "X"; Field distribution by "#".)

## INFORMATION REPORT INFORMATION REPORT



handled, among other things, funds for persons traveling abroad on temporary duty.

S-E-C-R-E-!

50X1-HUM

ing 1 th April					50X1-HUN
		S-E-C-R-E-T		REPORT	
COUNTRY	:	East Germany		DATE DISTR.	30 APR. 62
SUBJECT	:	The Koepenick Radio Plant	;	NO. OF PAGE	<b>S</b> 22
DATE OF INFORMATION				REFERENCES:	
PLACE ACQUIRED					50X1-HUN
				,	
		THIS IS UNEVALUATED INFORMATIO	ON		50X1-HU

DOWNGRADED AT 12-YEAR INTERVALS NOT AUTOMATICALLY DECLASSIFIED DOD DIR 5200.10

	٠	S-E-C-R-E-T	30X1-HUW
		<b>-</b> 3-	
, ; , s			
	<b>c.</b>	Department E, Development Directorate, temporarily headed by Dipl. Ing. Klaus-Guenther Ebert	50X1-HUM
	đ.	Department F, Production, headed by Johannes Norra.	
í.	е.	Department K. (Kaufmaennische Direktion), Commercial, headed by Erich Schlemminger	50X1-HUM
	f.	Department L, Administration, headed by Dipl. Oec. Kurt Saemisch.	
	g•	Department P, Personnel (Cadre) and Security, headed by Doenitz (fnu	), 50X1-HUM
	h.	Department T, Main Technology, headed by Herbert Goetze who was also deputy of the administrative director.	50X1-HUM 50X1-HUM
	i.	Department Z, Planning and Control, headed by Alfred Steuer	50X1-HUM 50X1-HUM
4.	The tio	administrative director's department (L) included the following secns:	
	a.	Plant Director's Secretariat (Werkleitung Sekretariat) (LS), headed by Mrs. Gerda Hess.	
	b.	Legal Section (Werkleitung Rechtsabteilung) (LR), headed by Hans Tuebbecke	50X1-HUM
	c.	Dispatching Section (Werkleitung Hauptdispatcher) (LD).	
	đ.	Archives (LBA).	
	<b>e.</b>	Quality Control Section (Werkleitung Guetekontrolle) (IG), headed by Walter Knust. It was an important office, staffed by about 200 persons, which handled not only development projects, including those for the Ministry of National Defense, but also series production projects. Although it was a sensitive section, it had the following leading personnel Otto Falbe, head of the IGA section; Wolfgang Dornberger, head of the IG3 section; and his two subordinates, Guenter Zippel and Walter Gnausch.	
5•	The	Commercial Directorate had the following sections:	
	<b>a.</b>	Sales Department (Absatz) (KA), headed by Karl Heinz Dannebaum,  Its executives were well informed on all projects, classified as well as unclassified, at the plant. One executive was Ing Heinz Munte, who was in the USSR after the war. He was retained sole because of his high professional qualifications	•
		He was a close personal friend of Professor Otto Hachenberg, director of the Heinrich Hertz Institute in Berlin-S Adlershof.	
	ъ.	Material Procurement Department (Hauptlager-Materialbeschaffung) (KM	).
	c.	Insurance Department (KR).	
		S-E-C-R-E-T	

	50	X.	1 –	Н	U	М
--	----	----	-----	---	---	---

50X1-HUM

S-E-C-R-E-T

\_հ\_

d. Motor Pool (KF).

#### The Development Directorate.

- 6. The Development Directorate, headed by Ebert, was divided into a number of offices and sections (see Attachment A):
  - a. A chief assistant, Corte (fnu), and a secretariat, headed by Mrs. Wiesner (fnu).
  - b. Two special offices:
    - (1) Central Design (EK), headed by Kurt Tieger. The design office worked with all the project sections.
    - (2) High Power Transmitters and Other Projects (ET), headed by Friedrich Plueckhahn. The office was to be deactivated.
  - c. Service sections, which were special groups or laboratories with various tasks. The sections were frequently rearranged, according to the personal wishes of the director of development.

    when Ebert became acting director in July 1961 there was another change in the personnel and structure. The sections before July 1961 were:
    - (1) Photographic Laboratory (E-1), headed by Otto Eixner.
    - (2) Printing Shop (E-2), chief unknown.
    - (3) Bookbinding Shop (E-3), chief unknown.
    - (4) Development Directorate Warehouse (E-4), chief unknown.
    - (5) New Technology Laboratory (E-5), headed by Dipl. Ing. Siegfried Meinecke.
    - (6) Planning and Control of Subcontracts (E-6), headed by Friedrich Plueckhahn.
  - d. Project departments (EB, EC, EF, EG, EM, EN, ES).
- 7. Components and Power Supply (Bauelemente und Stromversorgung) (EB). The department was headed by Ing. Siegfried Hanske, not a Party member, who was in the USSR after the war. The staff numbered about 150 persons. The department was a so-called cross section office (Querschnittsbereich), since it was responsible for the central coordination and processing of all work related to components. Its activities included the development, production, and standardization of high-frequency coils and special transformers, for example, for impulses, special switches, and relays; the development and production of power supply components such as grid parts, from high-power transmitters down to the smallest devices; and the establishment of norm listings for power supply parts. The department had the following sections:
  - a. Development of components such as coils and relays (EBB).
  - b. Design and production of power supply components (EBO).

				50X1-HUM
	S-E-C-R-E	-T		
	<b>~5~</b>			
	/-			
And the second	And the second	<b>€</b>	• •	
. Design of com	ponents and power su			50X1-HUN
Vyoha	deputy was l	Ernst Schell, assis	ted by Guenter	50X1-HUN
Krebs.				30X1-1101
<ul> <li>Design of com Pfannschmidt.</li> </ul>	ponents and power su	pply parts (EBK), h	eaded by Ewald	503/4 1111
Prannschmide.			<u>,                                     </u>	50X1-HUN
. Test shops an	d some series produc	tion (EBW), headed	by Horst Loewa.	
evelopment of Ce	ntimeter Technology	(Entwicklung Cm-Tec	hnik) (EC).	50X1-HUM
	f the department Dipl. Ing. Rolf Jael	nn .	who gradu	_50X1-HUN
ted from the Len	ingrad Technical Acad	lemy	who Braud	<del></del>
	or all very-high_free	manar aomnonomta f	The department	
as responsible i ation centimeter	technology, but up	to June 1961 was wo	rking only in	
he X band. The	main emphasis was on	development and pr	oduction of marin	ne
adars for civili ant East German	an use. The KSA-5, contribution to the	particularly, was t electronics field w	rithin the CEMA	
ramework.				
coording to Tobe	nn Lautenbach, the d	evelonment director	Thert replaced	
nd Hasserodt of	the VVB, the USSR ex	pected East Germany	to manufacture	
arine radars to	the value of 100 to	150 million DME ann	nually from 1962	
COLUMNA THE	nre was a pross amon			
risual direction-	finding equipment and	nt, including the p d other development	roduction of ss in direction-	
isual direction-	finding equipment an	nt, including the p	oroduction of ss in direction-	50X1-HUN
risual direction-	finding equipment an	nt, including the p	oroduction of s in direction-	50X1-HUN
isual direction- inding technolog	finding equipment and y.  duction capacity of	d other development	s in direction-	50X1-HUN
isual direction- inding technolog  The total pro- was about 70	finding equipment and y.  duction capacity of million DME gross.	d other development the Koepenick Radio	o Plant in 1961 we would require	50X1-HUN
isual direction- inding technolog  The total pro- was about 70 considerable	finding equipment and y.  duction capacity of million DME gross. investment, which wa	the Koepenick Radio To double the figur s quite unfeasible	Plant in 1961 e would require under existing	
isual direction- inding technolog  The total pro- was about 70 considerable conditions, n face in mater	finding equipment and y.  duction capacity of million DME gross. investment, which wa ot to mention the enial allocation, acqui	the Koepenick Radio To double the figur s quite unfeasible ormous difficulties isition of new mach	Plant in 1961 e would require under existing the plant would inery, expansion	
risual direction- finding technolog  The total pro was about 70 considerable conditions, n face in mater of plant faci	duction capacity of million DME gross. investment, which wa ot to mention the enial allocation, acquilities, etc. The la	the Koepenick Radio To double the figur s quite unfeasible ormous difficulties isition of new mach	Plant in 1961 re would require under existing the plant would inery, expansion tion building	
isual direction- inding technolog  The total provide was about 70 considerable conditions, race in mater of plant faci which was due	duction capacity of million DME gross. investment, which wa ot to mention the enial allocation, acquilities, etc. The late to be completed at	the Koepenick Radio To double the figur s quite unfeasible ormous difficulties isition of new mach	Plant in 1961 re would require under existing the plant would inery, expansion tion building	
isual direction- inding technolog  The total pro was about 70 considerable conditions, n face in mater of plant faci	duction capacity of million DME gross. investment, which wa ot to mention the enial allocation, acquilities, etc. The late to be completed at	the Koepenick Radio To double the figur s quite unfeasible ormous difficulties isition of new mach	Plant in 1961 re would require under existing the plant would inery, expansion tion building	
isual direction- inding technolog  The total pro was about 70 considerable conditions, n face in mater of plant faci which was due for such an i	duction capacity of million DME gross. investment, which wa ot to mention the ential allocation, acquilities, etc. The latto be completed at increase.	the Koepenick Radio To double the figur s quite unfeasible ormous difficulties isition of new mach rge L-shaped produc the end of 1962 was	Plant in 1961 re would require under existing the plant would inery, expansion tion building not large enoug	
isual direction- inding technolog  The total pro was about 70 considerable conditions, r face in mater of plant faci which was due for such an i	duction capacity of million DME gross. investment, which wa ot to mention the enial allocation, acquilities, etc. The late to be completed at necrease.	the Koepenick Radio To double the figur s quite unfeasible ormous difficulties isition of new mach rge L-shaped produc the end of 1962 was rsonnel, especially making it politics	o Plant in 1961 re would require under existing the plant would inery, expansion tion building not large enough r executives, was	h
risual direction- finding technolog  a. The total prowas about 70 considerable conditions, a face in mater of plant faci which was due for such an interpretation. Since the raturusually his in the eyes of	duction capacity of million DME gross. investment, which wa ot to mention the enial allocation, acquilities, etc. The late to be completed at necrease.  e of defection of perhat the plant, thus f the Soviets, it wa	the Koepenick Radio To double the figur s quite unfeasible ormous difficulties isition of new mach rge L-shaped produc the end of 1962 was rsonnel, especially making it politics s quite probable th	Plant in 1961 re would require under existing the plant would inery, expansion tion building not large enough r executives, was ally unreliable nat the USSR might	h
isual direction- inding technolog  The total prowas about 70 considerable conditions, race in mater of plant faci which was due for such an interest of the raturnsually his in the eyes or request that	duction capacity of million DME gross. investment, which wa ot to mention the enial allocation, acquilities, etc. The late to be completed at acrease.  e of defection of peth at the plant, thus of the Soviets, it was production of Soviet	the Koepenick Radio To double the figure s quite unfeasible ormous difficulties institution of new mach rege L-shaped produc the end of 1962 was resonnel, especially making it politice s quite probable th orders, such as me	Plant in 1961 re would require under existing the plant would inery, expansion tion building not large enough rexecutives, was ally unreliable nat the USSR might urine radars, be	h
isual direction- inding technolog  The total prowas about 70 considerable conditions, race in mater of plant faci which was due for such an in the eyes or request that	duction capacity of million DME gross. investment, which wa ot to mention the enial allocation, acquilities, etc. The late to be completed at necrease.  e of defection of perhat the plant, thus of the Soviets, it wa	the Koepenick Radio To double the figure s quite unfeasible ormous difficulties institution of new mach rege L-shaped produc the end of 1962 was resonnel, especially making it politice s quite probable th orders, such as me	Plant in 1961 re would require under existing the plant would inery, expansion tion building not large enough rexecutives, was ally unreliable nat the USSR might urine radars, be	h
visual direction- finding technolog  a. The total pro was about 70 considerable conditions, n face in mater of plant faci which was due for such an i  b. Since the rat unusually his in the eyes o request that moved to a ge Berlin area.	duction capacity of million DME gross. investment, which wa ot to mention the enial allocation, acquilities, etc. The late to be completed at acrease.  e of defection of peth at the plant, thus of the Soviets, it was production of Soviet ographically more se	the Koepenick Radio To double the figures quite unfeasible ormous difficulties isition of new machinge L-shaped product the end of 1962 was resonnel, especially making it politics a quite probable the orders, such as making it politics and the such as making it politics and the orders of the content of th	Plant in 1961 re would require under existing the plant would inery, expansion tion building not large enough r executives, was ally unreliable nat the USSR might rine radars, be de the Greater	h t 50X1-HUN
isual direction- inding technolog  The total pro- was about 70 considerable conditions, n face in mater of plant faci which was due for such an i  Since the rat unusually his in the eyes or request that moved to a ge Berlin area.	duction capacity of million DME gross. investment, which wa ot to mention the enial allocation, acquilities, etc. The late to be completed at ncrease.  e of defection of perhapt the Soviets, it was production of Soviet ographically more second.	the Koepenick Radio To double the figures quite unfeasible ormous difficulties isition of new machinge L-shaped product the end of 1962 was resonnel, especially making it politics a quite probable the orders, such as macure location outsile rather illogical	Plant in 1961 re would require under existing the plant would inery, expansion tion building not large enough rexecutives, was ally unreliable nat the USSR might rine radars, be detected the Greater	h t
risual direction- finding technolog  a. The total pro was about 70 considerable conditions, n face in mater of plant faci which was due for such an i  b. Since the rat unusually his in the eyes o request that moved to a ge Berlin area.  In view of the ab the East German S	duction capacity of million DME gross. investment, which wa ot to mention the enial allocation, acquilities, etc. The late to be completed at ncrease.  e of defection of perhat the Soviets, it was production of Soviet ographically more seconds.	the Koepenick Radio To double the figures quite unfeasible ormous difficulties isition of new maching L-shaped product the end of 1962 was resonnel, especially making it politics a quite probable the orders, such as making it politics are the rather illogical sion, confirmed by	Plant in 1961 e would require under existing is the plant would inery, expansion tion building not large enough executives, was ally unreliable that the USSR might rine radars, be de the Greater  decision of the plant direc-	t 50X1-HUN 50X1-HUN
visual direction- finding technolog  a. The total pro was about 70 considerable conditions, n face in mater of plant faci which was due for such an i  b. Since the rat unusually his in the eyes or request that moved to a ge Berlin area.  In view of the an torate on 8 June orders for develo	duction capacity of million DME gross. investment, which wa ot to mention the enial allocation, acquilities, etc. The late to be completed at ncrease.  e of defection of perhat the plant, thus of the Soviets, it was production of Soviet ographically more seconds.	the Koepenick Radio To double the figur s quite unfeasible ormous difficulties isition of new mach rge L-shaped produc the end of 1962 was  rsonnel, especially making it politics s quite probable th orders, such as macure location outsi  rather illogical sion, confirmed by tment resume milita e eight-millimeter	Plant in 1961 e would require under existing the plant would ainery, expansion tion building not large enough executives, was ally unreliable at the USSR might arine radars, be deethe Greater  decision of the plant direc- ary work. Soviet to 30-centimeter	t 50X1-HUN 50X1-HUN
risual direction- finding technolog  a. The total pro was about 70 considerable conditions, n face in mater of plant faci which was due for such an i  b. Since the rat unusually his in the eyes o request that moved to a ge Berlin area.  In view of the ak the East German S torate on 8 June orders for develor	duction capacity of million DME gross. investment, which wa ot to mention the enial allocation, acquilities, etc. The late to be completed at accease.  e of defection of perhapt the Soviets, it was production of Soviet ographically more seconds.	the Koepenick Radio To double the figur s quite unfeasible ormous difficulties isition of new mach rge L-shaped produc the end of 1962 was  rsonnel, especially making it politics s quite probable th orders, such as macure location outsi  rather illogical sion, confirmed by tment resume milita e eight-millimeter	Plant in 1961 e would require under existing the plant would ainery, expansion tion building not large enough executives, was ally unreliable at the USSR might arine radars, be deethe Greater  decision of the plant direc- ary work. Soviet to 30-centimeter	t 50X1-HUN 50X1-HUN
isual direction- inding technolog  The total prowas about 70 considerable conditions, n face in mater of plant faci which was due for such an interest that moved to a general area.  In view of the action area on 8 June orders for develoring, including	duction capacity of million DME gross. investment, which wa ot to mention the enial allocation, acquilities, etc. The late to be completed at ncrease.  e of defection of perhat the plant, thus of the Soviets, it was production of Soviet ographically more seconds.	the Koepenick Radio To double the figur squite unfeasible ormous difficulties isition of new maching L-shaped producthe end of 1962 was resonnel, especially making it politices quite probable the orders, such as macure location outsing it is the confirmed by the tresume militate eight-millimeter f materials from the	Plant in 1961 be would require under existing the plant would inery, expansion tion building not large enough executives, was ally unreliable nat the USSR might rine radars, be deethe Greater  decision of the plant direc- try work. Soviet to 30-centimeter the USSR, were in-	t 50X1-HUN 50X1-HUN
risual direction- finding technolog  a. The total prowas about 70 considerable conditions, a face in mater of plant faci which was due for such an interest of such an interest that moved to a general marea.  In view of the above of the above on 8 June orders for developments, including wolved.	duction capacity of million DME gross. investment, which wa ot to mention the ential allocation, acquisities, etc. The late to be completed at ncrease.  e of defection of perhat the plant, thus f the Soviets, it was production of Soviet ographically more selected. The planning Commis 1961, that the department projects in the extensive supplies of	the Koepenick Radio To double the figur so quite unfeasible ormous difficulties isition of new mach rge L-shaped product the end of 1962 was rsonnel, especially making it politices so quite probable the orders, such as mach cure location outsi  rather illogical sion, confirmed by tment resume milite e eight-millimeter f materials from the	Plant in 1961 re would require under existing the plant would inery, expansion tion building not large enough executives, was ally unreliable nat the USSR might rine radars, be de the Greater decision of the plant direc- ary work. Soviet to 30-centimeter ne USSR, were in-	t 50X1-HUN 50X1-HUN
risual direction- finding technolog  a. The total prowas about 70 considerable conditions, reface in mater of plant faci which was due for such an interest of the ratunusually high in the eyes or request that moved to a general marea.  In view of the above of the above on 8 June or 8 June or 8 June or 6 J	duction capacity of million DME gross. investment, which wa ot to mention the enial allocation, acquilities, etc. The late to be completed at ncrease.  e of defection of perhat the plant, thus of the Soviets, it was production of Soviet ographically more seconds.	the Koepenick Radio To double the figur so quite unfeasible ormous difficulties isition of new macr rge L-shaped produc the end of 1962 was  rsonnel, especially making it politices so quite probable the orders, such as mac cure location outsi  rather illogical sion, confirmed by tment resume militer the eight-millimeter f materials from the the Horner ry passive radar sy	Plant in 1961 re would require under existing the plant would inery, expansion tion building not large enough executives, was ally unreliable nat the USSR might urine radars, be de the Greater decision of the plant direc- ary work. Soviet to 30-centimeter ne USSR, were in- et (Hornisse) and extems under de-	t 50X1-HUN 50X1-HUN
isual direction- inding technolog  The total provas about 70 considerable conditions, race in mater of plant faci which was due for such an interest of such an interest that moved to a generate on 8 June corate on 8 June orders for development in 1961 [eipzig-Plagwitz]	duction capacity of million DME gross. investment, which wa ot to mention the enial allocation, acquities, etc. The late to be completed at ncrease.  e of defection of penh at the plant, thus f the Soviets, it was production of Soviet ographically more selects, that the department projects in the extensive supplies of ects, the two militates at the Radio Mechan and the Physical Work.	the Koepenick Radio To double the figure s quite unfeasible ormous difficulties isition of new mach rge L-shaped product the end of 1962 was rsonnel, especially making it politics s quite probable the orders, such as mac cure location outsi  rather illogical sion, confirmed by tment resume militate e eight-millimeter f materials from the the Horne ry passive radar sy ics Plant (VEB Funk kshops (Physikalise	Plant in 1961 re would require under existing the plant would dinery, expansion tion building not large enough rexecutives, was ally unreliable nat the USSR might rine radars, be de the Greater  decision of the plant direc- try work. Soviet to 30-centimeter ne USSR, were in- et (Hornisse) and rstems under de- mechanik) at the Werkstaetten)	h 50X1-HUN 50X1-HUN
isual direction- inding technolog  The total pro- was about 70 considerable conditions, n face in mater of plant faci which was due for such an i  Since the rat unusually his in the eyes request that moved to a ge Berlin area.  In view of the above the corate on 8 June orders for develor range, including rolved.  Vasp (Wespe) pro- relopment in 1961 eipzig-Plagwitz in Berlin-Rahmsdo	duction capacity of million DME gross. investment, which wa ot to mention the enial allocation, acquilities, etc. The late to be completed at ncrease.  The second of period of period of the soviets, it was production of Soviet ographically more second of the second of	the Koepenick Radio To double the figure s quite unfeasible ormous difficulties isition of new mach rge L-shaped product the end of 1962 was rsonnel, especially making it politics s quite probable the orders, such as mac cure location outsi  rather illogical sion, confirmed by tment resume militate e eight-millimeter f materials from the the Horne ry passive radar sy ics Plant (VEB Funk kshops (Physikalise	Plant in 1961 re would require under existing the plant would dinery, expansion tion building not large enough rexecutives, was ally unreliable nat the USSR might rine radars, be de the Greater  decision of the plant direc- try work. Soviet to 30-centimeter ne USSR, were in- et (Hornisse) and rstems under de- mechanik) at the Werkstaetten)	h 50X1-HUN 50X1-HUN
visual direction- finding technolog  a. The total pro was about 70 considerable conditions, n face in mater of plant faci which was due for such an i  b. Since the rat unusually his in the eyes crequest that moved to a ge Berlin area.  In view of the alt the East German S torate on 8 June orders for develor range, including volved.  Wasp (Wespe) pro- velopment in 1961 Leipzig-Plagwitz	duction capacity of million DME gross. investment, which wa ot to mention the enial allocation, acquilities, etc. The late to be completed at ncrease.  The second of period of period of the soviets, it was production of Soviet ographically more second of the second of	the Koepenick Radio To double the figure s quite unfeasible ormous difficulties isition of new mach rge L-shaped product the end of 1962 was rsonnel, especially making it politics s quite probable the orders, such as mac cure location outsi  rather illogical sion, confirmed by tment resume militate e eight-millimeter f materials from the the Horne ry passive radar sy ics Plant (VEB Funk kshops (Physikalise	Plant in 1961 re would require under existing the plant would dinery, expansion tion building not large enough rexecutives, was ally unreliable nat the USSR might rine radars, be de the Greater  decision of the plant direc- try work. Soviet to 30-centimeter ne USSR, were in- et (Hornisse) and rstems under de- mechanik) at the Werkstaetten)	<b>t</b> 50X1-HU 50X1-HU

	15.	50X1-HUN
S-E-C-R-E-T	*	, ·
-6-		

The EC Department, as of 1 June 1961, had a staff of 98 persons and was organized as follows (see Attachment B):

- a. Under the chief were two assistants, Ing. Joachim Rieck 50X1-HUM and Ing. Max Kahl, and two secretaries, Miss Draeger (fnu) and Mrs. Jurzina (fnu).
- Development Section (ECC), with about 30 persons, headed by Rolf Jachn. It had six subordinate laboratory groups:
  - Procedures and Planning (ECC-1), headed by Dipl. Ing. Walter Hasse.
  - (2) Antennas and Wave Guides (ECC-2), headed by Dr. Rudolf Kuehn.
  - Centimeter Generators and Modulators, headed by acting chief Dipl. Ing. Albrecht von der Heydt.
  - Intermediate and Low-Frequency Technology (ECC-4), headed by Ing. Heinz Lingenfelder. One of his subordinates was an engineer, Peter Groll, whose wife was a secretary at the Physical Workshops.
  - Indicators (ECC-5), headed by Ing. Jost Kirschbein.

غينا

. . . .

- (6) Instrument Testing (ECC-6), headed by Ing. Egbert Lengeluettich.
- Design Section (ECK), with about 23 persons, headed by Ing. Herbert Grabow, who also acted as deputy department chief. The section had four design groups:
  - (1) Antennas (ECK-1), headed by Ing. Alfred Koehn.
  - Generators (ECK-2), headed by Ing. Hans Boehm, an Austrian citi-
  - (3) Visual Indicators (ECK-3), headed by Ewald Kroll.
  - (4) Circuit Diagrams (ECK-4), no chief appointed.
- Workshop Section (ECW), with about 40 persons, headed by Ehrhard Bukalski. It had three subsections:
  - (1) Workshop Group on Work Preparation and Technology (Jigs), headed by Guenter Zimmer.
  - (2) Production, headed by Master Rudolf Zimmermann.
  - (3) Shop Group on Final Checks, no chief appointed.
- Production Department (Entwicklung Fertigung) (EF). The department was staffed by about 225 persons, headed by Erwin Engert. It handled testing and production of a small number of units of such items as high-power transmitters. By the end of 1961, the department was to be completely dissolved and its shops were to be assigned to the other departments of the Development Directorate, which were then to do their own testing and production. It seemed likely, however, that some general service shops, such as that for paint and lacquer (EFW), would remain centralized.

S-E-C-R-E-T

nated FK 1000. The department had the following sections:

tress transmitters and receivers, etc.

developed transmitters and receivers up to the upper frequency range of 30 megacycles, mostly for marine civilian use, such as direction finders, goniometers, medium-wave and shortwave telegraphy and voice radio, dis-

military use (no details): the development of a mobile station desig-

one project for


50X1-HUM

			· ·	m man a second				50X1-HU
			S	-E-C-R-E-1	!			
				0				
				-8-				
			10					
Lybr.			35 35			7. ·		
a				rs and ant	ennas (ENF	), heade	by Hans-	
÷.	Juerge	n Westpha	L,			t fet		
<b>b</b> •	Develor	nment of	receivers	and direct	ion finder	s (ENE)	headed hy	
	Dipl.	Ing. Jens	-Peter Reh	ahn		· (/)	noddod by	50X1-HL
. [	Kniess			On	e of his s	abordinat	es was Wilhel	m
	Wiless		**					A
c.	Design	(ENK), he	eaded by K	urt Muelle	r		One	
	of his	subordin	ates was W	alter Gerl	off			50X1-HL
and, smal of t espe it d orga a.	tracts ( in the last the property of the prope	calling for early 1 of the propaganda vector concerned financial on. The concerned a development of the concerned and the concerned and the concerned and the concerned area of the concerned and the concerned area of the	or long-war 960s, tele- roduction value of the lawith the and other department ment (ESA) of Heinz Lawin-wave, an other lead	ve, medium vision tra was destin e equipmen activitie assistanc sections, headed bingenfelder abortwa	-wave, and nsmitters i ed for Comm t, the SED s of the de e, and had were the fo y Kurt Ling r, head of ve transmit	shortway for bands nunist Ch Central apartment some inf pllowing: genfelder ECC-4.	Committee was , often gave luence on its	50X1-HL 50X1-HL
			.131			N)		
	Televis	sion trans	mitters (I	ESF), prob	ably.	Sec.		
c.	TOTO 1 TO							
			* ************************************			4.75		
đ.	Design	(ESK).	4. 197 1981 - 40 -		7L	**************************************		
Cent (EK) ment with	Design ral Des	(ESK). sign Department of the contral I work at the contral in the	ered in th Design Depa Departments	ne same way artment was s. One of was standas	y as the ot s a cross-s its main t	her deve ection o asks was e depart	onsleitung) lopment depar ffice, working to see that ment was head	g . 50X1-HL
Cent (EK) ment with all by K	Design ral Design Althors, the all the design art Tie	(ESK).  sign Deparation number of the countries of the co	pered in the Design Departments the plant w	ne same wat artment wat s. One of was standar and had	y as the ot s a cross-s its main t rdized. Th	her deve ection o asks was e depart	lopment depar ffice, working to see that	s 50X1-HU ed
Cent (EK) ment with all by K	Design ral Design Althors, the all the design art Tie	(ESK).  sign Deparation number of the control I ne other of work at the ger	ered in th Design Depa Departments	ne same wat artment wat s. One of was standar and had	y as the ot s a cross-s its main t rdized. Th	her deve ection o asks was e depart	lopment depar ffice, working to see that	s 50X1-HU ed
Cent (EK) ment with all by K	Design  Tral Des  Alth s, the all th design art Tie  Draftin	(ESK).  sign Deparation number of the contral I ne other of work at the ger  ag Adminis	pered in the Design Departments the plant was true tration (E	ne same wa artment was one of was standar and had	y as the ot s a cross-s its main t rdized. Th various sec	her deve ection o asks was e depart tions	lopment depar ffice, working to see that	g . 50X1-HU ed
Cent (EK) ment with all by K  a.  b.	Design  Tral Des  Alth  S, the  all th  design  Art Tie  Draftin  Standar  Circuit	(ESK).  sign Deparation number of the other of work at the ger  ag Administration  Diagrams	ered in the Design Departments the plant water tration (Figure 1), heat (EKN), heat (EKE), di	ne same wantment was one of was standar and had rekv).	y as the ots a cross-s its main t rdized. Th various sec	her deve ection o asks was e depart tions	lopment depar ffice, working to see that	g . 50X1-HU ed
Cent (EK) ment with all by K	Design  Tral Des  Alth  S, the  all th  design  Art Tie  Draftin  Standar  Circuit  assigne	(ESK).  sign Deparation number of the other of work at the ger  ag Administration  Diagrams of to variation variation	ered in the design Departments the plant water tration (Figure 1987), head (EKN), head (EKE), dious other	ne same wantment was artment was standar and had rekv).  aded by Wildesolved in department	y as the ots a cross-s its main t rdized. Th various sec	her deverence detailed to describe the depart tions.	lopment depar ffice, working to see that ment was head	s 50X1-HU ed
Cent (EK) ment with all by K	Design  ral Des  Alth s, the all th design art Tie  Draftin Standar Circuit assigne Reprodu	(ESK).  sign Deparation number of the other of work at the ger  ag Administration  Diagrams of to variation Shows	ered in the design Departments the plant water tration (Figure 1987), head (EKN), head (EKE), dious other	ne same wantment was artment was standar and had rekv).  aded by Wildesolved in department	y as the ots a cross-s its main t rdized. Th various sec thelm Buth. n summer 19 ts of the p	her deverence detailed to describe the depart tions.	lopment depar ffice, working to see that ment was head	s 50X1-HU ed
Cent (EK) ment with all by K	Design  Tral Des  Alth  S, the  all th  design  Art Tie  Draftin  Standar  Circuit  assigne	(ESK).  sign Deparation number of the other of work at the ger  ag Administration  Diagrams of to variation Shows	ered in the design Departments the plant water tration (Figure 1987), head (EKN), head (EKE), dious other	ne same wantment was artment was standar and had rekv).  aded by Wildesolved in department	y as the ots a cross-s its main t rdized. Th various sec thelm Buth. n summer 19 ts of the p	her deverence detailed to the development of the de	lopment depar ffice, working to see that ment was head	s 50X1-HU ed
Cent (EK) ment with all by K	Design  Tral Des  Althematics, the all the design for the design f	(ESK).  sign Deparation of the control I do not be control I do no	ered in the design Departments the plant wateration (EKN), head (EKE), dious other up (abbrevi	ne same wantment was artment was standar and had recorded by Willesolved in department ation not	y as the ots a cross-s its main t rdized. Th various sec thelm Buth. n summer 19 ts of the p	her deve- ection of asks was be depart tions.	lopment depar ffice, working to see that ment was head	50X1-HL
Cent (EK) ment with all by K	Design  Tral Des  Althematics, the all the design for the design f	(ESK).  sign Deparation of the control I do not be control I do no	ered in the design Departments the plant wateration (EKE), discouss other the plant wateration (EKE), discous other the plant wateration (EKE), discous other the plantment of t	ne same wantment was artment was standar and had recorded by Willesolved in department ation not	y as the ots a cross-sits main trdized. The various second likeling Buth. In summer 19 ts of the parecalled).	her deve- ection of asks was be depart tions.	lopment depar ffice, working to see that ment was head	s 50X1-HU ed
Cent (EK) ment with all by K	Design  Tral Des  Althematics, the all the design for the design f	(ESK).  sign Deparation of the control I do not be control I do no	ered in the design Departments the plant wateration (EKE), discouss other the plant wateration (EKE), discous other the plant wateration (EKE), discous other the plantment of t	ne same wantment was artment was standar and had was standar and had was standar at a solved in department ation not	y as the ots a cross-sits main trdized. The various second likeling Buth. In summer 19 ts of the parecalled).	her deve- ection of asks was be depart tions.	lopment depar ffice, working to see that ment was head	50X1-HL
Cent (EK) ment with all by K	Design  Tral Des  Althematics, the all the design for the design f	(ESK).  sign Deparation of the control I do not be control I do no	ered in the design Departments the plant wateration (EKE), discouss other the plant wateration (EKE), discous other the plant wateration (EKE), discous other the plantment of t	ne same wantment was artment was standar and had was standar and had was standar at a solved in department ation not	y as the ots a cross-sits main trdized. The various second likeling Buth. In summer 19 ts of the parecalled).	her deve- ection of asks was be depart tions.	lopment depar ffice, working to see that ment was heade  ts personnel	50X1-HL
d.  Cent (EK) ment with all by K  a.  b.  C.  Harry Kurt	Design  Tral Des  Althematics, the all the design for the design f	(ESK).  sign Deparation of the control I do not be control I do no	ered in the design Departments the plant wateration (EKE), discouss other the plant wateration (EKE), discous other the plant wateration (EKE), discous other the plantment of t	ne same wantment was artment was standar and had was standar and had was standar at a solved in department ation not	y as the ots a cross-sits main trdized. The various second likeling Buth. In summer 19 ts of the parecalled).	her deve- ection of asks was be depart tions.	lopment depar ffice, working to see that ment was heade  ts personnel	50X1-HL



Declassified in Part - Sanitized Copy Approved for Release 2014/01/29 : CIA-RDP80T00246A026801750001-1

ATTACHMENT A




50X1-HUM

Declassified in Part - Sanitized Copy Approved for Release 2014/01/29 : CIA-RDP80T00246A026801750001-1

Declassified in Part - Sanitized Copy Approved for Release 2014/01/29 : CIA-RDP80T00246A026801750001-1

#### ATTACHMENT B

The Centimeter Technology Department (EC) of the Koepenick Radio Plant



S-E-C-R-E-T

50X1-HUM

50X1-HUM

S-E-C-R-E-T

-12-

#### ATTACHMENT C

#### VEB Koepenick Radio Plant

The Koepenick Radio Plant (VEB Funkwerk Koepenick), iin addition to other plants, is under the direction of VVB Communications and Measuring Technology (Nachrichten und Messtechnik). The association of people's plants, which was formed by the State Planning Commission, controls the development work and establishes the production plans.

VEB Funkwerk Koepenick at present consists of the following three plants:

- 1. Plant I is at 153 Wendenschloss Street, Berlin-Koepenick. It contains the administration, the development departments, and the manufacturing departments for the construction of the large transmitter: a total complement of 2350 persons.
- 2. Plant II is on Edison Street, Berlin-Oberschoeneweide. It contains finishing shops and stocks and the production control and testing rooms. Approximately 1500 persons work there.
- 3. Plant III is on Zernsdorfer Street, Kablow District, Koenigswusterhausen. Gyro compasses and ship guidance devices are manufactured in the plant. On 1 January 1960 the number of employees was 280.

The responsible directors of the plant were demoted and discharged in 1960 partly because the production quotas were not filled and partly for other reasons. It is quite possible that the replacement of responsible directors and chiefs, which was begun in May, has as yet not been completed. At present (September 1960) the structure of the plant is as follows:

50X1-HUM

		the state of the s
Director:	Up to May 1960, Henry Henrion	!
.*.		
<b>5</b> ,		
	From July 1960: Certified politica	l econ-
	omist Kurt Saemisch	p to
** * 2	the time he was mentioned for the post, he was director of	produc-
	tion at the Koepenick Radio Plant.	50X1-HUM
Thief Buyer	r: Erich Schlemminger,	
* *,		
2.1	**	٠
Production	Director: Up to 1959 it was Braesemann (fnu), up to July 1	960. 14
	was Kurt Saemisch, and from July 1960 Wolfgang Wendisch	50X1-HUM
	, and a second and	30X1-HUIVI
Chief Book	keeper: Heini Bruell	
		-
rechnical I	Director: Up to June 1960, it was Heine (fnu)	
	In July 1960, two technical directors	vere
	named: (a) Director of Production: Johannes Norra	
	1,012	
	(b) Direc	tor of
4.5	Technology: Herbert Goetz, up to now the chief mechanic.	50X1-HUM
	S-E-C-R-E-T	50X1-HUM
	사용하는 사람들은 사람들이 가득하는 사람들이 가득하는 사람들이 다른 사람들이 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면	•

	50X1-HUM
S-E-C-R-E-T	
-13-	
Chief of Personnel: (Staff Director) Doenitz (fnu).	50X1-HUM
Chief of Development: Up to 1958, H. Andreas	
Rudi Wekker; from July 1960, engineer Lautenbach (fnu His as	to July 1960, ) 50X1-HUM sistent is
Recertified engineer Klaus-Guenther Ebert  Before, he was chief of the med	asuring-inst
ment development department in the plant.	5UX1-HUM
From 1957 to 1960 there were four large development departs and the large transmitter development and construction group. six development departments (branches) and the EF department (ladevelopment and construction). The chiefs of the development development and construction is the chiefs of the development development.	Now there are arge transmitter
1. Development Branch EC, radar devices. Chief, certified Guenter Scheil Hill in the Soviet Union. The following six laboratories belong to ment area:	1956 he worked50X1_HIIM
(a) Installation processing, (b) antennas, (c) high-fitors plus modulators, (d) processing technology plus planning, ation, and (f) intermediate and low-frequency technology.	requency genera- (e) radar evalu-
In addition, the ECK construction department, belongs to is Herbert Grabow to 1956 he worked in the Soviet Union. The secretary is Ursula ECK construction department consists of the following four cons	Wp 50X1-HUM
(a) The ECK-1 construction group. Group Leader: engineer Assisted by engineer Eberhard Klem	r Hans Boehm, 50X1-HUM
postBros. manage (/)	signer: Vera
Radecke Draftsmen: Herta Jeske Miss Nagel (fnu)	and 50X1-HUM
Ingrid Berlik	50X1-HUM
(b) The ECK-2 construction group. Group Leader: Ewald K His assistant is Erwin Mielke	
The designer is Felicitas Witt	
The parts designer is Elfriede Buchhorn  The draftsmen are Ingrid Tietz  and Eva Handke	mann (fnu),50X1-HUM
(c) The ECK-3 construction group consists of the followin leader - Alfred Koehn, born in 1904, SED; assistant: defected many in 1959. Designer: Horst Reichel	g. Group to West Ger50X1-HUM
draftsmen are Monika Baschin Annelise Poschmann	
(d) Circuit diagrams	. ,
The ECK-1 construction group devised the transmitter and r the radar instruments (3.2-Cm ship radar); the ECK-2 group builting device that belongs to this instrument (visual apparatus) a	ds the indicat- nd the ECK-3

50X1-HUM S-E-C-R-E-T -14-

50X1-HUM

2. Development Branch, EM, measuring instruments. Chief: Ulrich Poser, Up to now this branch had belonged to the EG branch. At present about 40 people are employed at the EM branch of whom about 15 are development engineers. The branch is divided as follows:

The EMM-1 group. Chief: Certified engineer Joachim Hufler,

50X1-HUM

- (b) The EMM-2 group, pulse measuring instruments. Chief: Certified engineer Willi Frost (?) 50X1-HUM
  - (c) The EMM-3 group. Chief: Max Schiller
  - The EMM-4 group. Chief: Engineer Glashagen (fnu)
  - Construction Group. Chief: Walter Preez

The following was developed in the branch (even when the members still belonged to the EG development branch):

Cathode ray oscillographs, Type 0 G 1-8. The instrument has been produced in series in Plant II since 1957. Yearly production: 20 items. The type 0 G 1-9. The instrument has been produced in Plant II since 1958. Yearly number produced: 20.

The type 0 G 1-10. This instrument is completely designed and from 1 January 1961 is to be manufactured in Plant II.

The type O G-1-12. An operational model is presently being assembled and tested in the laboratory.

The type O G 2-10. An operational model is presently being built and is to be tested by the end of 1960.

Type O G 1-13 is currently being developed.

Type O G 1-11, an operational model, was built in 1959, but manufacture is not planned.

Pulse Generators

Type I S - 14 4. This instrument has been built since 1952. In 1960 only a few are being built because the series is to be discontinued.

Type M S - 10 s (calibration mark generator). This instrument has been manufactured in single parts since 1958.

Pulse Amplifier

200

Type I V - 10. This instrument is series produced in Plant II. Production per year is about 10.

Broad-Band Amplifier

Type BV - 8. This instrument has been manufactured for years in Plant II. Annual production 20 items.

S-E-C-R-E-T

Declassified in Part - Sanitized Copy Approved for Release 2014/01/29 : CIA-RDP80T00246A026801750001-1

S-E-C-R-E-T

-15-

Type B V - 9. The O-series of this instrument will go into production in Plant II in 1961.

Centimeter Signal Generator

Type SS - 10. The operational model was tested. The zero series is to be manufactured in Plant II in 1961.

Measuring Delayer (time normal)

Type D T 1 - 5. The operational model has been tested. In 1961 Plant II is to start manufacturing the zero series.

Frequency Spectrometer

Type F Sp 10. The operational model is tested. The zero series is to be started in Plant II in 1961.

Television Test Stand with Instruments Type I S 1-8. Type R S 1 - 8. Type H S 1 - 5. Type V S 1 - 5 and T S 1 - 8. The operational model has been tested. Apparently the zero series will be manufactured in 1961 in Plant II. Besides, the approval of VVB Communications and Measuring Technology must still be received.

An automatic recording installation was also developed in the branch. It consists of a spectrum generator, a zero-positioning amplifier, and a flash device. The equipment is used for automatically calculating transmitter scales. It was tested in 1958, but a series instrument was not manufactured.

The development group was also engaged in the development of the ionospheric measuring instrument, Type S P 3. For details see ES.

3. The ES Development Branch for Receivers and Transmitters. The branch was divided in July 1960. One group was removed and made into an independent development branch, i.e., the EN (Navigation) branch. The chief of the ES branch up to July 1960 was Rudi Wekker and from July 1960 on it was Otto Zimmermann.

The ES development branch is temporarily organized in the following groups:

- 1. Ultra-Shortwave and Television Transmitter. Chief: Schenk (fnu). Chief of the ultra-shortwave transmitter: Werner Koenig. Chief of the television transmitter: Ruhestand (fnu).
  - 2. Ultra-Shortwave Receiver. Chief: Otto Zimmermann.
    - 3. Antenna Development. Chief: Kurt Lingenfelder.
- 4. Ship Radio Instruments. Chief: to 1959, Lange who died of cancer. Since then the chief is Willi Thielicke.
- 5. Transmitter Construction, ESK. Chief: Karl Schulze, born in 1908, candidate member of the SED. The Construction Department is divided into the following seven groups:

  50X1-HUM

(a)	The Shortwave	Const	ruction (	roup. Chie	ef: Erich	Schmidt		
	In	1959 th	ne group	built a for	ır-kilowatt	shortway	re single	side-
band	transmitter.	It is	used for	diplomation	e communica	tions bet	ween East	German 50X1-HIIN

S-E-C-R-E-T

-16-

embassies and legations in foreign countries. In East Germany it is set up as interference stations. In 1960 10 were exported to China, North Korea, and North Vietnam. In addition, the group built the 20-kilowatt shortwave single side-band transmitter. The first transmitter of this type was set up in Belgrade in 1957. Three are to be set up in East Germany (interference transmitter?).

(b) The Medium-Wave Transmitter Group. Chief: Georg Fielitz 50X1-HUM

- (c) Long-Wave Transmitter Group. Chief: Kurt Kosanowski
- (d), (e), (f) Ultra-Shortwave and Television Transmitter. Chief: Herbert

  Baumann Artschwager (fnu) and 50X1-HUM
- (g) The Ionospheric Recording Installation. Chief: Karl-Heinz Geisthardt,

50X1-HUM

This branch developed two installations in recent years which cost the Koepenick Radio Plant a great deal of money. Both installations were developed and built by different members of the entire Koepenick plant, but only members of the ES branch were responsible for their development.

The first installation was a 10-kilowatt television transmitter, which was under development at the plant from 1954 on. The work was under the direction of Willi Zeletzki. It did not progress because there were no efficient transmitter tubes available in East Germany. In 1956 a Hungarian delegation visited East Germany and the Koepenick Radio Plant, heard about the transmitter, and wanted to have one. The SED functionaries promised to sell the Hungarians one of the transmitters and to deliver it by the end of 1956. The technical people at the Koepenick Radio Plant should have thwarted the sale at the time for technical reasons, but they did not, in spite of the fact that they knew that they could not deliver the transmitter. On the contrary, they built a television transmitter, and all the departments in the plant had to cooperate on the project. In December 1956 the transmitter was boxed without having been operated at the plant. Naturally, after it was set up in Budapest, it did not meet the required standards of operation. It was not until the middle of 1958 that the instrument could approach the output stipulated, and only for a short time at that. The Koepenick Radio Plant was fined a conventional amount of 2.5 million DME for tardiness ( $1\frac{1}{2}$  years late).

The second instrument of which the supervisory personnel of the ES branch were held responsible for development was the ionospheric recording instrument, S P 3. An instrument such as this had been developed years ago at the former SAG Scientific-Technical Bureau of Instruments, Berlin (SAG Wissenschaft-lich-Technisches Buero fuer Geraete Berlin), 9-17 Neue Bahnhof Street. The contractor was the Soviet Trade Mission, 75 Unter den Linden, East Berlin. At that time, two stationary and two portable installations were delivered to the USSR. In addition, all the related instruments and supporting drawings were sent there.

In December 1957 the USSR ordered 20 additional instruments of the type from East Germany. This time the order was made through the German Domestic and Foreign Trade Office (Deutsche Innen- und Aussenhandel) (MIA). Negotiations for the order in December 1957 began in 1956 and were such that the

S-E-C-R-E-T

ı. Ir

Fq.

۵

F.3

" i

Declassified in Part - Sanitized Copy Approved for Release 2014/01/29: CIA-RDP80T00246A026801750001-1

S-E-C-R-E-T

-17-

Scientific-Technical Bureau of Instruments refused to ship any other ionospheric recording instruments. Koepenick Radio Plant, however, said that it was prepared to do so, in spite of the fact that the Soviets refused to put the present development data at its disposal. An entirely new development, therefore, had to be conducted. The development of the ionospheric recording installation cost the Koepenick Radio Plant four million DME from 1956 to June 1959.

The plant received 660,000 DME from the DIA for each instrument, an additional 220,000 DME for the accessory and replacement parts, and another 200,000 DME for the antennas, which were manufactured by sub-contractors. The total cost to the DIA for each installation was 1,080,000 DME. The DIA, however, received only 220,000 rubles from the Soviets for each installation according to the contract. The DIA lost eight million DME in shipping 20 installations.

Delivery dates were, however, also determined in the agreements between the DIA and the Soviet Trade Delegation. The schedule is as follows:

- 5 installations by 15 August 1959
- 5 installations by 15 September 1959
- 5 installations by 15 October 1959
- 5 installations by 15 November 1959

In connection with the terms the installations are to be ready in East Germany for acceptance by Soviet technicians. After acceptance, the installations are to leave East Germany in four weeks.

What was accomplished? In March 1959 a laboratory operational model was made available for inspection and placed at the disposal of the Soviets. This operational model was accepted by the Soviet representative of the Academy of Sciences of the USSR, Candidate of Technical Sciences Matveyey, who is also the representative of Tekhnoprom Import from Moscow. The Soviets required that the instruments be operated continuously for 48 hours. The operational model, which was assembled in the open on laboratory tables, could withstand duration tests of that type. Furthermore, the test was conducted in Lindow in the Frankfurt/Oder district, where the appropriate antennas were available. In August of 1959 when the first five installations should have been completed, none were as yet finished. Exactly one model was built, in which the dimensions of the final design were to be shown (the size-control model).

In January 1960 five installations were shipped. They were not received in Berlin by the Soviets, but were to be shipped to the Oder-Neisse border and there to be put into operation. These precautions were proposed by the Soviets so that the workers at the Koepenick Radio Plant could not find out where the installations were to be delivered in the USSR. (Also the antenna installations, which were built by VEB Steel Construction (VEB Stahlban) Lichtenberg, and which were to have been taken to the Soviets for acceptance, could not be assembled in the USSR by East German personnel. East Germans were to assemble the antennas on the Oder-Neisse border and Soviet assemblers were to be thoroughly instructed in the procedures. Then the antennas were disassembled and transported to unknown locations within the USSR.)

	•		50X1-HUM	1
S-E-C-R-E-T				
-18-				

Because the date of delivery was not adhered to, so-called conventional fines were set down in the contract between the DIA and the Soviet Trade Delegation. The fines amounted to 0.3 percent of the total value per unit for each day that the installation was delayed. What conventional fine the Koepenick Radio Plant must pay to the DIA is still being argued by the contract partners. Is it 0.3 percent of the sum of 20 times 1,080,000 DME or 0.3 percent of the sum of 20 times 220,000 rubles? In any case the conventional fines together nearly exceed the value of the installation.

What are the S P 3 ionospheric recording installations? They are instruments with which it is possible to measure the altitude characteristics of the ionosphere. The results of the measurements are recorded photographically and at the same time the data and time are recorded on the photographs. Then the photographs are evaluated for flight safety.

The measuring instruments operate on a pulse output of at least 25 kilowatts and a maximum of 35 kilowatts. The pulse-recurrence frequency is 30 The pulse width amounts to 100 microseconds. The frequency range in all the instruments may be adjusted continuously between 500 kilocycles and 20 megacycles. The built-in quartz clock has an accuracy of at least 10<sup>-0</sup>.

Each installation consists of the following:

Recording equipment, including control panel, pulse oscillograph, power-line aggregate, and two special recording cameras.

Auxiliary installation consisting of special measuring equipment to control the transmitting-receiving station and development machines for developing. the films (photographs of the recordings). The film used was 200 millimeters wide and 50 meters long and consisted of replacement parts for the installation. Among other parts, 11,500 electronic tubes of various types are shipped (?) for each installation.

Antenna Installation. These antenna installations were developed by the VEB Radio and Telecommunications Installation Construction and built by VEB Steel Construction, Berlin-Lichtenberg.

- 4. The EG Development Branch. Chief: Up to 1958, Dr. Heinrich Weber. He resigned and is presently employed in the Operational Laboratory of Radio and Television in Berlin-Adlershof. At present, Walter Lamprecht is the chief. The following are associated with the department:
  - (a) Hydroacoustics. Laboratory chief: Gotthard Hasler.
- (b) Ship guidance and mining instruments. Chief: Walter Lamprecht, and laboratory chiefs Gerhard Thuerling, Kurt Strobelt, Koch (fnu), and Ulrich Heide. 50X1-HUM
- 5. The EN Development (Navigation). Chief: Willi Thielicke In July 1960 th branch was formed from a group of the ES Development Branch. In time the 50X1-HUM branch is to be expanded, but as yet a suitable building is not available. Up to now the Reham group has developed the goniometer directional receiver, Type F G S 330, and the two-channel direct-reading directional receiver, Type 3406.

S-E-C-R-E-T

LOS

1115

Declassified in Part - Sanitized Copy Approved for Release 2014/01/29: CIA-RDP80T00246A026801750001-1

S-E-C-R-E-T

<u>-19-</u>

6. The EEB Development Branch (Construction Efficients and Standard Parts). Chief: Siegfried Hanske

50X1-HUM

Two laboratories belong to the EEB branch, i.e., a construction group and a special workshop.

In itself, a standard parts department is primarily of a subordinate significance in a plant such as the Keepenick Radio Plant. Hanske knew how to go about making his the most important department in the plant.

50X1-HUM

7. The EF Transmitter Construction. Chief: Erwin Engert
The medium and long-wave transmitters which have been srected 50X1-HUM in East Germany since 1950 have been built in this department. The construction of high-power transmitters has been curtailed to some extent in recent years. The department had to release a great many workers to other development branches. In 1959, eight 10-kilowatt ultra-shortwave transmitters were built in the department. The first was assembled in Leipzig in the middle of 1959. In 1960, eight of the same 10-kilowatt transmitters were built in Finishing Plant II.

In addition, since 1957 the plant has taken over the further development and construction of the 10-kilowatt television transmitter, which, up to now, has been under development in Zeletzki's department. Of the 10-kilowatt television transmitters, four were manufactured in the EF department in 1959. Another four are to be built there in 1960. One of the first transmitters which was manufactured by EF in 1959 was put into operation on 8 October 1959 in Leipzig. It is to cover the West German area for television broadcasting.

#### Plant II

In 1952, Plant II was equipped to take over manufacture of products from Plant I. The floor area for series production became too crowded at Plant I. During the years, Plant II was always enlarged and expanded. At present, about 1500 people are employed there.

The chief is Otto Ploese The chief of testing and final control is Walter Knust for Plant I and II. The chief of three test fields is Engineer Johannes Schmidt. About 120 people are employed here. About 80 persons are employed in final quality control.

Instruments valued at 32 million DME were manufactured in Plant II in 1958. The specific items were:

200 ship radio stations for logger.

Note that the second

120 distress call transmitters of 75 watts.

- 50 distress call transmitters of 25 watts.
- 50 shortwave transmitters of 100 watts.
  - 50 medium-wave transmitters of 100 watts.
  - 50 distress call alarm installations.

S-E-C-R-E-T

-20-

50 telegraph transmitters of 100 watts.

40 radio goniometers.

50 air-speed installations.

160 echographs.

50 sonic altimeters (or depth finders).

60 echographs with fish detectors.

50 sounding installations.

160 cathode ray oscillographs, Type 0 G 2-6.

20 cathode ray oscillographs, Type 0 G 1-8.

20 cathode ray oscillographs, Type 0 C 1-9.

20 broad-band amplifiers, Type B V 8.

10 pulse amplifiers, Type I V - 10.

400 Ferraris motors.

3000 servomechanisms.

3 KS installations.

The same instruments are to be manufactured in 1959. Only small changes in the number to be manufactured were to be made as follows:

150 radio stations for logger.

12 transmitters with an output of 800 watts.

50 KSA-3 collision protection instruments.

50 goniometer direction-finders.

600 Ferraris motors.

400 servomechanisms.

In 1959 there was also an overhang of unfinished instruments which had to be subsequently delivered in 1960. The last instruments from the design output were first finished in May-June 1960. Therefore a review of the articles completed in the plan year 1959 has yet not been completely worked out. It is, however, maintained that the number planned for 1959 (even though late for a half year) was realized.

In this connection it may be mentioned that the completion plans for the production of Plant II which were proposed by the VVB Communications and Measuring Technology had the following amounts in mind:

S-E-C-R-E-T

OĞ.

OĜ.

S - S - S

Declassified in Part - Sanitized Copy Approved for Release 2014/01/29 : CIA-RDP80T00246A026801750001-1

S-E-C-R-E-T

-21-

1958 32 million DME.

1959 62 million DME.

1960 84 million DME.

1965 135 million DME.

The production planned for the 1958 program was actually completed in 1959. The production planned for 1959 could only be completely finished by May-June 1960. Since the production for program year 1960 was further increased, it was assumed that it actually included the time up to the end of 1961. These conditions are unneal.

#### Plant III in Kablow

The plant was taken over by the Koepenick Radio Plant on 1 October 1951. From 1946 to 14 September 1950, it belonged to the former Berlin Physical Workshops of Dr. Christian Soerensen.

The area, on Zensdorfer Street, is 2500 square meters. It has been rented under a 10-year agreement, till October 1962, by its owner, Paul Linke.

On 30 April 1958, 160 people were employed at Plant III. On 1 Janua 50X1-HUM

The superintendent is engineer Hans Schwanke

The purchasing manager is Fritz Schwanke

Arlt is the manufacturing superintendent. The 50X1-HUM

chief of material supply is Herbert Benz

strument controler is Willi Kuehn

chief of sales is Otto Alf

50X1-HUM

The instruments manufactured in Plant III are especially those developed by the Lamprecht development group, i.e., gyrocompasses, ship guidance instruments, signal installations for mines and wind measuring installations.

The sale of the instruments amounted to: 1955 - 3 million DME; 1956 - 3.8 million DME; 1957 - 4.2 million DME; 1958 - 5 million DME; 1959 - not as yet calculated.

The gyrocompass installations amounted to the highest percentage of sales. In 1958, 2.5 million DME worth of gyrocompasses were manufactured. The number was 25 gyrocompasses. In 1959 there were 27 and in 1960 there are to be 17 gyrocompass installations. Of these, 15 are to be water cooled, as before, and two are to be air cooled, according to the latest development.

According to the production plan for the coming year the following is planned:

1960 17 gyro installations are to be manufactured.

1961 20.

1962 25.

1963 25.

Declassified in Part - Sanitized Copy Approved for Release 2014/01/29: CIA-RDP80T00246A026801750001-1

50X1-HUM

S-E-C-R-E-T

-22-

1964 30.

1965 50.

It is planned to meet this production figure without increasing the production facilities and without employing any more help. The technical people, of course, are of the opinion that under these conditions the program will not be fulfilled.

The present machine tool facilities of Flant III consist of the following: five milling machines, eight lathes, one new spindle lathe, imported from Czechoslovakia, 10 drilling machines, one trimming press, one circular saw, one friction saw, one shaping machine, one painting shop with a sprayer and infrared drying oven, one testing room with a gyrocompass test-stand, and two test stands for ship-guidance instruments.

Only the paint shop is to be expanded. For this purpose a building was rough-finished on 10 February 1960, in which the spray shop (600 square meters) is to be housed.

About 30 percent of the products are to be exported to East-Bloc countries and 70 percent are to be kept in East Germany.